

## Danner, Ward

---

**From:** Margo Lane <MLane@guthy-renker.com>  
**Sent:** Monday, July 21, 2014 5:15 PM  
**To:** Scott, Jeff  
**Subject:** Contaminants at Malibu High

As a parent, Malibu resident and taxpayer, and 25-year attorney, I respectfully and strongly urge that SMMUSD be ordered to do the following:

1. To remove students from any potential exposure, until full source testing and remediation has been completed. School starts on August 19. Please ensure that students at MHS and JC have a place to be educated that is free of PCBs (e.g., provide portable [pcb-free] classrooms for any rooms that violate 50ppm until such time as renovation or full remediation has been completed);
2. To immediately test all the caulk/building materials suspected of containing PCBs in all classrooms constructed or renovated pre-1979;
3. To immediately remove all PCB material in excess of 50ppm that is in violation of TSCA; and

Further, I would urge the EPA to reject Environ's second PCB plan as wholly inadequate and in violation of TSCA regulation. There is no legal basis for leaving illegal levels of PCBs in place for 15 years. Fines under TSCA should be levied on the district for every day that they have not provided an appropriate plan since their due date of March 30, 2014.

I support Malibu Unites' formal letter sent to the EPA to reject Environ/district's plan to leave PCBs in place for 15 years.

Respectfully,  
Margo Wright Lane